


Specifications

Eaton FMVA50LWY/UNV34 76

Catalog Number: FMVA50LWY/UNV34 76

Eaton Crouse-Hinds series Champ FMVA LED floodlight, 1.54A, Warm white, Dimmable driver, 3/4" entries, 1500W+ equiv, Heat and impact resistant glass lens, 50,000 lm, 126 lm/W, Die cast alum, 7x6 optics, Gray paint, 347-480 Vac, 400W

General specifications



Product Name	Catalog Number
Eaton Crouse-Hinds series Champ FMVA LED floodlight	FMVA50LWY/UNV34 76
UPC	662276816350
Product Length/Depth	Product Height
15.35 in	24 in
Product Width	Product Weight
17.28 in	32.5 lb

Certifications and compliances

Area classification	
Hazardous/Classified Locations	
Standards type	
NEC/CEC	
NEC hazardous rating	
Class II, Division 1	
Class I, Division 2	
Class I, Zone 2	
NEMA Rating	
4X	
Ingress protection (IP) ratings	
IP66	

Product specifications

Lamp type	
LED	
Lumens	
50000	
Lumens per watt	
126	
Color temperature	
Warm white	
Mounting Method	
Yoke	
Voltage rating	
347-480 Vac	
Frequency rating	
50/60 Hz	
Optical distribution	
7x6	
Entry size	
3/4"	
Lens material	
Heat and impact resistant glass	
Finish color	
Gray	
Wattage	
2 x 8.7W	
Dimming	
Dimmable driver	
Equivalent luminaire	
1500W+	
Power factor	
> 0.90	
Amperage Rating	
1.54 A	
Material	
Die cast aluminum	

Resources

3D models

[SP3D Design Package - Champ FMVA LED Hazardous Area](#)

[Floodlights](#)

Brochures

[Crouse-Hinds series Champ FMVA LED Floodlights - 20,000 to 50,000](#)

[lumens brochure](#)

[Crouse-Hinds series DLC approved lighting products](#)

Catalogs

[Crouse-Hinds series Champ FMVA LED Floodlights - 20,000 to 50,000](#)

[lumens catalog page](#)

Certification reports

[Champ FMVA LED Hazardous Area Floodlights ATEX Certificate](#)

[Champ FMVA LED Hazardous Area Floodlights IECEx Certificate of Conformity](#)

[Champ FMVA LED Hazardous Area Floodlights EC-Declaration of Conformity](#)

[Champ FMVA LED Hazardous Area Floodlights ABS certification](#)

[Champ FMVA LED Hazardous Area Floodlights UL certification](#)

[Champ FMVA LED Hazardous Area Floodlights Canadian certification](#)

Installation instructions

[IF 1889 - Champ FMVA/PFMA LED Floodlight Driver Replacement](#)

[IF 1842 - Champ FMVA40L/50L LED Floodlights](#)

[IF 1883 - Champ FMVA LED Floodlight](#)

Specifications and datasheets

[Eaton Specification Sheet - FMVA50LWY/UNV34 76](#)